



48" PRO-STYLE® GAS RANGE

JGRP548WP, JLRP548WP – 47<sup>7</sup>/<sub>8</sub>" x 38<sup>3</sup>/<sub>4</sub>" x 29<sup>1</sup>/<sub>4</sub>"

PRODUCT DIMENSIONS



FRONT VIEW



TOP VIEW


MODEL #		JGRP548WP	
		JLRP548WP	
		in	cm
<b>A</b>	Overall width	47 <sup>7</sup> / <sub>8</sub>	121.6
<b>B</b>	Width of secondary oven door	17 <sup>5</sup> / <sub>8</sub>	44.6
<b>C</b>	Space between doors	<sup>3</sup> / <sub>4</sub>	1.8
<b>D</b>	Width of main oven door	29 <sup>5</sup> / <sub>8</sub>	75.2
<b>E</b>	Height of island trim backsplash	3	7.6
<b>F</b>	Height of bullnose	2 <sup>1</sup> / <sub>4</sub>	5.5
<b>G</b>	Height of control panel	5 <sup>3</sup> / <sub>8</sub>	13.5
<b>H</b>	Space between doors and control panel	<sup>7</sup> / <sub>8</sub>	2.0
<b>I</b>	Height of doors	20 <sup>3</sup> / <sub>4</sub>	52.5
<b>J</b>	Height to top of handles	19 <sup>3</sup> / <sub>8</sub>	49.0
<b>K</b>	Space between doors and lower panel	1	2.5
<b>L</b>	Height of lower panel	5 <sup>1</sup> / <sub>2</sub>	14.0
<b>M</b>	Depth with control panel overhang	27 <sup>3</sup> / <sub>8</sub>	69.5
<b>N</b>	Depth with handles	29 <sup>1</sup> / <sub>4</sub>	74.2
<b>O</b>	Depth with doors fully open	45 <sup>3</sup> / <sub>4</sub>	116.2

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All Jenn-Air® appliances are appropriately UL, CUL or CSA approved.

48" PRO-STYLE® GAS RANGE

JGRP548WP, JLRP548WP – 47<sup>7</sup>/<sub>8</sub>" x 38<sup>3</sup>/<sub>4</sub>" x 29<sup>1</sup>/<sub>4</sub>"

DIMENSIONS AS INSTALLED



SIDE VIEW

MODEL #	JGRP548WP JLRP548WP	
	in	cm
A*	Height to top of grates (min.)	36 <sup>3</sup> / <sub>4</sub> 93.3
B*	Height to top of cooking surface (min.)	35 <sup>3</sup> / <sub>4</sub> 90.8
C*	Height to top of doors (min.)	27 <sup>3</sup> / <sub>8</sub> 69.5
D*	Height to top of handles (min.)	25 <sup>7</sup> / <sub>8</sub> 65.7
E*	Height to top of lower panel (min.)	5 <sup>7</sup> / <sub>8</sub> 14.9
F	Depth with doors fully open	45 <sup>3</sup> / <sub>4</sub> 116.2
G	Depth with handles	29 <sup>1</sup> / <sub>4</sub> 74.2
H	Depth with control panel overhang	27 <sup>3</sup> / <sub>8</sub> 69.5
I	Depth without control panel	23 <sup>1</sup> / <sub>2</sub> 59.5
J	Depth of island trim backsplash	2 <sup>1</sup> / <sub>4</sub> 5.7
K	Depth without doors	24 <sup>5</sup> / <sub>8</sub> 62.5
L	Depth with doors	26 <sup>3</sup> / <sub>4</sub> 68.0
M*	Height to top of island trim backsplash (min.)	38 <sup>3</sup> / <sub>4</sub> 98.4


\*Add 1<sup>3</sup>/<sub>4</sub>" (4.4 cm) to the height dimension when leveling legs are fully extended.

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All Jenn-Air® appliances are appropriately UL, CUL or CSA approved.


48" PRO-STYLE® GAS RANGE

JGRP548WP, JLRP548WP – 47<sup>7</sup>/<sub>8</sub>" x 38<sup>3</sup>/<sub>4</sub>" x 29<sup>1</sup>/<sub>4</sub>"


OPENING/CLEARANCE DIMENSIONS



FRONT VIEW



SIDE VIEW



BACK VIEW

MODEL #		JGRP548WP JLRP548WP	
		in	cm
A	Width of combustable area above cooking surface (min.)	48	121.9
B	Width from range to fixed wall or other combustable material (min.)	6	15.2
C	Width of opening (min.)	48 <sup>1</sup> / <sub>4</sub>	122.6
D	Width of electrical installation area	40	101.6
E	Width of gas installation area	24	61.0
F	Width from side cabinet to gas installation area	6	15.2
G*	Height to bottom of uncovered wood or metal cabinet above cooking surface (min.)	42	106.7
H	Height to bottom of uncovered wood or metal cabinet (min.)	18	45.7
I	Height of electrical installation area	15	38.1
J	Depth of electrical and gas installation area	5	12.7
K	Height of gas installation area	3	7.6
L	Depth of upper cabinet (max.)	13	33.0
M**	Depth to wall (min.)	6	15.2
N	Width to electrical conduit	9 <sup>1</sup> / <sub>8</sub>	23.0
O	Width to gas inlet	14 <sup>3</sup> / <sub>8</sub>	36.5
e	Recommended electrical access location		
g	Recommended gas supply line location		

\*If installing a hood or hood liner above the range, follow the hood or hood liner instructions for dimensional clearances above the cooking surface.

\*\*If back wall is constructed of a combustable material and a backsplash is not installed, a 6" (15.2 cm) minimum clearance is required.

**ELECTRICAL REQUIREMENTS**

120 volt, 60 Hz, AC only, 15-amp fused, grounded circuit is required. A dedicated circuit is recommended.

**IMPORTANT:** Dimensional specifications are provided for planning purposes only. Do not make any cutouts based on this information. Refer to the Installation Guide before selecting cabinetry, verifying electrical/gas connections, making cutouts or beginning installation. All Jenn-Air® appliances are appropriately UL, CUL or CSA approved.